

Single-Window Hub



Government of India Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), Maharashtra)

To,

The Partner MAYURI LANDMARKS LLP

Sr. No. 93/3, Handewadi, Katrajsaswad Bypass road, Handewadi, Pune -411028 -411028

Subject: Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam.

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the SEIAA vide proposal number SIA/MH/MIS/249615/2022 dated 18 Jan 2022. The particulars of the environmental clearance granted to the project are as below.

1. EC22B038MH154525 EC Identification No.

SIA/MH/MIS/249615/2022 2. File No.

3. **Project Type** New 4. Category B2

Project/Activity including 5. 8(a) Building and Construction projects Schedule No.

6. Name of Project Adinath

MAYURI LANDMARKS LLP 7. Name of Company/Organization

Maharashtra 8. **Location of Project**

9. **TOR Date** N/A

The project details along with terms and conditions are appended herewith from page no 2 onwards.

(e-signed) Manisha Patankar Mhaiskar Date: 17/08/2022 **Member Secretary** SEIAA - (Maharashtra)



Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH.Please quote identification number in all future correspondence.

This is a computer generated cover page.

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SIA/MH/MIS/249615/2022 Environment & Climate Change Department Room No. 217, 2nd Floor, Mantralaya, Mumbai- 400032.

To M/s. MAYURI LANDMARKS LLP, Survey No. 53/8, Undri Wadachi wadi, Pune.

Subject: Environmental Clearance for proposed construction project "

Mayuri Adinath" at Survey No. 53/8, Undri Wadachi wadi, Pune

by M/s. MAYURI LANDMARKS LLP

Reference: Application no. SIA/MH/MIS/249615/2022

This has reference to your communication on the above-mentioned subject. The proposal was considered by the SEAC-3 in its 139th meeting under screening category 8 (a) B2 as per EIA Notification, 2006 and recommend to SEIAA. Proposal then considered in 247th (Day-1) meeting of State Level Environment Impact Assessment Authority (SEIAA).

2. Brief Information of the project submitted by you is as below:-

Proposal Number	SIA/MH/MIS/24	9615/2022					
Name of Project	"Mayuri Adinath"						
Project category	8(a)B2						
Type of Institution	Private						
Project Proponent	Name Mr. Vinesh Nareshumar Oswal						
	Regd. Office	Sr. No.93/3 Handewadi, Katrajsaswad					
	address	Bypass road, handewadi, Pune-411028.					
	Contact	9881809898					
en de la companya de La companya de la co	number						
	E-mail	vineshoswal1994@gmail.com					
Consultant	Goldfinch Engineering System Private Limited						
	Plot No. A-288, Road No. 16 Z, Opp. Agriculture Office						
	Bus-stop, Thane Industrial Area, MIDC (Wagle Estate),						
	Thane (W) – 400604, Maharashtra, India.						
	PH: 91-22-25801529/21/46						
	Accreditation No: NABET/EIA/1922/RA0145						
Applied for	New Project						
Details of previous	NA						
EC							
Location of the	Survey No. 53/8, Undri Wadachi wadi, Pune-411028						
project		·					
Latitude and	Latitude- 18°26'3	39.29"N					

Longitude Total Plot Area (m2) Deductions (m2) Net Plot area (m2) Proposed FSI area	7500.00 Se			 				
Net Plot area (m2)	247.52 Sa			Longitude- 73°55'1.54"E 7500.00 Sq.mt.				
Net Plot area (m2)	ZT/.JZ DY.	247.52 Sq.mt.						
		7252.48 Sq.mt.						
I I TOPOSCU E SI AICA		29091.00 Sq.mt.						
(m2)								
Proposed Non-FSI	11488.98 \$	11488.98 Sq.mt.						
area (m2)		1819.	70.8					
Proposed TBUA (m2)	40579.98 5	Sq.mt.						
TBUA (m2) approved	Contract to the contract of th	Approved FSI area (sq. m.): In Process						
by Planning Authority	a. 1	1881 NAC 1147 HT	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	q. m.): In Pro	cess			
till date	Sanction B	5 BASS 1. 15	Susana.					
	Date of Ap							
Ground coverage (m2) & %	2021.20 Se	q.Mt.&	74%					
Total Project Cost	75,00,00,0	00						
(Rs.)		Mudicy Mudicy						
CER								
Details of Building (Configuration					Reason for		
Previous EC / E	xisting	I	Proposed	Configuration		Modificati		
Building						on /		
						Change		
Buildi Configura	1000 to 1000				Heig	841 - 89 - 1		
ng on	(m)	n	~ 4	nfiguration	ht	project		
Name	첫째 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	INA	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	3+G+P+16	(m) 52.40			
		Wi	- 1 - 1 - 1 - 3 - 4 - 1 - 3 - 4 - 1 - 3 - 4 - 1 - 3 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4) (32.40			
		В		3+G+P+16	52.40			
		Wi						
		C		3+G+P+16	49.50			
		Wi	1946 L. 1965.					
		Γ		3+G+P+15	49.50			
		Wi	ng					
		Ch	ub	G+1				
	- 175年 新刊 	Ho	use					
Total number of tene	ements	Resid	ential –4()6Nos.,				
Total number of Pop	Population. Resi. Population- 2030Nos,							
Water Budget	Dry S	Dry Season (CMD)			Wet Season			
		(CMD)						
	Fresh Water	resh Water		Fresh Water		182.70		
· · ·	Recycled	ecycled 6.0		Recycled		0.00		
		vimming Pool 0.0		Swimming	Pool	0.00		
	Flushing		91.35	Flushing		91.35		
	Total		280.05	Total		274.05		

	Waste water	246.65	Waste w	ater	246.65			
	generation	2.0.00	generati		_ 10100			
Water Storage		rground water tank (CMD): 300.00 CMD						
Capacity for	Firefighting - Overhead water tank (CMD): 20.00 CMD For							
Firefighting	Each Building							
/UGT	Lacii Bunanig							
Source of water	PuneMunicipal Corporation							
Rainwater	Level of the		100n : 10	to 12 mete	r.			
Harvesting	Ground water	ł						
(RWH)	table:	Pre monsoon: 12 to 14 meter						
	Size and no of	NA						
	RWH tank(s) and	Mary.						
	Quantity:							
	Quantity and size	6 Nos. (Ruff Top -	– 4 & Surfa	(ce-2)			
17 7 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	of recharge pits:	1.5 X 2.0						
	Details of UGT	Domestic	c Capacity	(Cum):2,7	75,000			
	tanks if any:		UG Tank					
		70 m	(Cum):1,					
		Fire Fighting Capacity (Cum):3,00,000						
Sewage and	Sewage	246.65 K						
Wastewater	generation in							
	CMD:							
	STP technology:	MBBR						
	Capacity of STP	250.00KLD						
	(CMD):							
Solid Waste	Type	Quantity	y (kg/d)	Treatmen	nt / disposal			
Management	Dry waste:	NA		NA				
during	Wet waste:	NA		NA				
Construction	Construction	Excavati	on:	Top Soil:	1011 cum,			
Phase	waste	6064 cur	n	Filling in	Plinth: 5053			
				cum				
Solid Waste	Type	Quantity	/ (kg/d)	Treatmen	t / disposal			
Management	Dry waste:	406.00 k	g/day	Dry wast	e will be			
during Operation		sent for recycling to						
Phase		agency SWACH						
	Wet waste:	609.00 k	g/day	Wet wast	e will be			
	May 13			convertin	g to			
				compost	by using			
		NA		OWC NA				
	Hazardous waste:							
İ	Biomedical waste Negligible We will dispose							
					cal waste as			
				per bio n				
				waste ru				
				guideline	es issued by			

					1 -	ent authority		
					time to	· · · · · · · · · · · · · · · · · · ·		
	E-Waste		2.78 kg/day		Handed SWACH			
	STP Sludge	e (drv)	20.62 Kg/day	 V		dge sent to		
	DII DIGGS	· (uxy)	20.02 118. 44.)	,	SWM s	•		
					1	ing in to		
					compos	_		
Green Belt	Total RG ar	ea (m2): }: }:			652.72 Sq.mt.		
Development	Existing tre			. 104	14 Nos			
		25°00	be planted:		76Nos,			
	Number of			es.	No			
	2,37, 0.00,000		be transplanted	• ****** • *****	No	11 By 11 AND 11 By		
Power	Source of p	ower s	upply:		MSEDO	CL		
requirement:	During Con	structi	on Phase (Dema	nd	60KW	60KW		
	Load):							
	During Ope	eration	phase (Connecte	d	1618 K	VA .		
	load):							
	During Ope	eration	phase (Demand		950 KV	Α		
	load):							
	Transforme	r:	630 KVA X 2Nos					
	DG set:		320 KV	320 KVA X 1 Nos				
	Fuel used: HSD							
Details of	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		ar Water & PV S	4,3,300				
Energy saving	2. Total Solar Water Heating Sysytem + Solar PV Panel +							
	LEI		Fitting 18.29%		· .			
Environmental	Type	Detai	ls		Cost			
Management	Capital	NA	으로 하냈다. (현대의 역사 기 	4l	NA			
plan budget					0.1.7			
during	 48%。 2 (新聞中) (新規) (中) (計画を開放します。 				2.1 Lac			
Construction		1.20° 1.60° co	h Check Up &					
phase		Safety, Environmental						
		<u> </u>	toring		##### ################################	OeM		
Environmental	Componen	it	Details	Capital		O&M (Rs./Y)		
Management	Q4		Storm water	(Rs.) 49.50 lakhs		0.25 lakhs/yr.		
plan Budget during Operation	Storm Water			73.93lakhs		10.48lakhs/yr.		
phase	Sewage MBBR treatment		MIDDIX	13.931aKIIS		10. Totakiis/yi.		
pilase	Water treatment NA NA		<u> </u>	NA				
			MIMIN					
			00lakhs	0.00lakhs/vr				
	5 miniming	1 001		"."	- VIMILIO	31001201911		
	Solid Waste	<u> </u>	Municipal	16	.75lakhs	4.50 lakhs/yr.		
1	<u> </u>		I WILLIAM					
	Harvesting			00 lakhs 00lakhs	0.50lakhs/yr. 0.00lakhs/yr.			

	Hazardous waste		NA		NA		NA	
	E-waste		NA		NA		NA	
	Green belt		Landscaping		7.00lakhs		0.7lakhs/yr.	
	development							
	Energy saving	3	Energy	Energy 42		akhs	0.86lakhs/yr.	
			Savings					
	Environmenta	al	Air, wate	r,			0.2Lakhs/yr	
	Monitoring		Noise, So	oil				
	Disaster		Lightnin	g	4.50lakhs			
111	Management	arrestor					4.4 <u>.</u>	
Traffic	Type	Red	Required as		Actual A		a per parking	
Management	1434 147	per	DCR	Pro	Provided		(m2)	
	4-Wheeler		213	2	13		12.5	
	2-Wheeler	790		7	90		2.00	
	Bicycles	٠	0				0	
Parking Area	4242.50Sqm			41.				
Details of	NO				Maria (
Court cases /								
litigations w.r.t.								
the project and				A.				
project location								
If any.				100	<u> </u>			

3. Proposal is a new construction project. Proposal has been considered by SEIAA in its 247th (Day-1) meeting and decided to accord Environment Clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implantation of following terms and conditions-

Specific Conditions:

A. SEAC Conditions-

- 1. It is noted that, the project will have the potable water through tankers; PP to add this information in his all documents like RERA, Advertisement of the project, agreement etc. Also PP to submit the water tanker agreement. Local body to ensure that, No Occupation Certificate should be issued unless project have sustainable water supply.
- 2. CCZM map showing location of the site along with permissible height is submitted.
- 3. PP to provide minimum 30% of total parking arrangement with electric charging facility by providing charging points at suitable places.
- 4. PP to ensure that, the water proposed to use for construction phase should not be drinking water. They can use recycled water or tanker water for proposed construction.
- 5. PP to submit the revised traffic calculation by considering the opposite 60 mt road also.

B. SEIAA Conditions-

- 1. PP to keep open space unpaved so as to ensure permeability of water. However, whenever paving is deemed necessary, PP to provide grass pavers of suitable types & strength to increase the water permeable area as well as to allow effective fire tender movement.
- 2. PP to achieve at least 5% of total energy requirement from solar/other renewable sources.
- 3. PP Shall comply with Standard EC conditions mentioned in the Office Memorandum issued by MoEF& CC vide F.No.22-34/2018-IA.III dt.04.01.2019.
- 4. SEIAA after deliberation decided to grant EC for FSI 12,685.50 m2, Non FSI- 11,169.80 m2, Total BUA- 23,855.30 m2. (Plan approval No. CC/0328/22, Date –12.05.2022).

General Conditions:

a) Construction Phase :-

- I. The solid waste generated should be properly collected and segregated. Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. Disposal of muck, Construction spoils, including bituminous material during construction phase should not create any adverse effect on the neighbouring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in the approved sites with the approval of competent authority.
- III. Any hazardous waste generated during construction phase should be disposed of as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- IV. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- V. Arrangement shall be made that waste water and storm water do not get mixed.
- VI. Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices.
- VII. The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- VIII. Permission to draw ground water for construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
 - IX. Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
 - X. The Energy Conservation Building code shall be strictly adhered to.
 - XI. All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- XII. Additional soil for levelling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- XIII. Soil and ground water samples will be tested to ascertain that there is no threat

- to ground water quality by leaching of heavy metals and other toxic contaminants.
- XIV. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XV. The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- XVI. PP to strictly adhere to all the conditions mentioned in Maharashtra (Urban Areas) Protection and Preservation of Trees Act, 1975 as amended during the validity of Environment Clearance.
- XVII. Vehicles hired for transportation of Raw material shall strictly comply the emission norms prescribed by Ministry of Road Transport & Highways Department. The vehicle shall be adequately covered to avoid spillage/leakages.
- XVIII. Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
 - XIX. Diesel power generating sets proposed as source of backup power for elevators and common area illumination during construction phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel is preferred. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
 - XX. Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings by a separate environment cell /designated person.

B) Operation phase:-

- I. a) The solid waste generated should be properly collected and segregated. b) Wet waste should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. c) Dry/inert solid waste should be disposed of to the approved sites for land filling after recovering recyclable material.
- II. E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2016.
- III. a) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Treated effluent emanating from STP shall be recycled/ reused to the maximum extent possible. Treatment of 100% grey water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP. b) PP to give100 % treatment to sewage /Liquid waste

- and explore the possibility to recycle at least 50 % of water, Local authority should ensure this.
- IV. Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement.
- V. The Occupancy Certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water, connectivity of sewer line to the project site and proper disposal of treated water as per environmental norms.
- VI. Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- VII. PP to provide adequate electric charging points for electric vehicles (EVs).
- VIII. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
 - IX. A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
 - X. Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes.
 - XI. The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at parivesh.nic.in
- XII. Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- XIII. A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- XIV. The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO2, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be

monitored and displayed at a convenient location near the main gate of the company in the public domain.

C) General EC Conditions:-

- I. PP has to strictly abide by the conditions stipulated by SEAC& SEIAA.
- II. If applicable Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- III. Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- IV. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- V. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- VI. No further Expansion or modifications, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the SEIAA. In case of deviations or alterations in the project proposal from those submitted to SEIAA for clearance, a fresh reference shall be made to the SEIAA as applicable to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- VII. This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.
- 5. This Environment Clearance is issued purely from an environment point of view without prejudice to any court cases and all other applicable permissions/ NOCs shall be obtained before starting proposed work at site.
- 6. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.

- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, amended from time to time.
- 8. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 9. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Manisha Pataka - Whaiskan (Member Secretary SEIAA)

Copy to:

- 1. Chairman, SEIAA, Mumbai.
- 2. Secretary, MoEF & CC, IA- Division MOEF & CC
- 3. Member Secretary, Maharashtra Pollution Control Board, Mumbai.
- 4. Regional Office MoEF & CC, Nagpur
- 5. District Collector, Pune.
- 6. Commissioner, Pune Municipal Corporation
- 7. Regional Officer, Maharashtra Pollution Control Board, Pune.